

FortiGate[®]-100D

Security for the Small and Medium Enterprise

Meeting the Needs of Small and Medium Enterprises and Branch Offices

Today's network security threats have evolved into highly sophisticated assaults using multiple attack vectors to penetrate networks and steal valuable information. Small and medium enterprises and remote branch offices of larger enterprises face these attacks while storing and transferring increasing amounts of sensitive data across their networks. To ensure the security of this sensitive data, legislation such as PCI, HIPAA, Sarbanes-Oxley, and others have warranted the implementation of security measures.

In order to comply with legislation and secure the valuable data traversing networks, small and medium enterprises and remote branch offices need a security solution that integrates multiple attack recognition technologies into a single device. With limited budgets and modest remote resources, these smaller networks desire a cost effective solution that is simple to install, connect and maintain. Just as importantly, networks are ever-expanding and need a solution that leaves them with room to grow over time. The FortiGate-100D is an ideal security solution for small and medium enterprises or remote branch offices of larger networks. It combines firewall, IPSec and SSL VPN, application control, intrusion prevention, antivirus, antimalware, antispam, P2P security, and web filtering into a single device.

Simple, Powerful, Secure

The FortiGate-100D installs in minutes, automatically downloading regular updates to protect against the latest viruses, network vulnerabilities, worms, spam and phishing attacks, and malicious websites with no administrator intervention. Leveraging patented FortiASIC acceleration, the FortiGate-100D offers market-leading performance, with twenty-two GbE interfaces that facilitate network growth and expansion. Onboard storage provides local archiving of data for policy compliance and/or WAN Optimization. The WAN Optimization functionality increases network performance by reducing the amount of communication and data transmitted between applications and servers across a WAN.



FortiOS The World's Most Advanced Security Operating System

FortiOS provides high performance, ultra low latency multi-threat security by leveraging the hardware acceleration provided by purpose-built FortiASIC processors. This combination of custom hardware and software gives you the best security and performance possible from a single device. FortiOS allows greater traffic visibility and more consistent, granular control over users, applications and sensitive data.

The FortiASIC Advantage

FortiASIC processors power FortiGate platforms. With exclusive hardware, the purpose built, high performance network, security, and content processors use intelligent and proprietary digital engines to accelerate resource-intensive security services.

Feature	Benefit
Consolidated Security Architecture	FortiGate consolidated security offers better protection and lower cost of ownership than multiple point security products.
Simple Licensing	Hassle-free unlimited user licensing increases ease of deployment and maintenance.
High Port Density	Sixteen internal switch, dual WAN and dual HA interfaces (all GbE) facilitate flexible deployment of network segments, eliminate need for external switching products, and promote network expansion and high availability configurations.
16GB of onboard storage	Provides local archiving of data for policy compliance or WAN optimization for improved application performance over the WAN.

Technical Specifications	FortiGate-100D
HARDWARE SPECIFICATIONS	
10/100/1000 Interfaces (RJ-45)	20
GbE SFP or 10/100/1000 Shared Interfaces	2
Maximum Network Interfaces	22
USB (Client/Server)	1 / 2
RJ-45 Serial Console	1
Internal Storage	16 GB
SYSTEM PERFORMANCE	
Firewall Throughput (1518 / 512 / 64 byte UDP packets)	2500 / 1000 / 200 Mbps
Firewall Latency (64 byte UDP packets)	37 µs
Firewall Throughput (Packets Per Second)	300 Kpps
Concurrent Sessions (TCP)	2.5 Million
New Sessions/Sec (TCP)	22,000
Firewall Policies	10,000
IPSec VPN Throughput (512 byte packets)	450 Mbps
Gateway-to-Gateway IPSec VPN Tunnels	1,500
Client-to-Gateway IPSec VPN Tunnels	5,000
SSL-VPN Throughput	300 Mbps
Concurrent SSL-VPN Users (Recommended Max)	200
IPS Throughput	950 Mbps
Antivirus Throughput (Proxy Based / Flow Based)	300 / 700 Mbps
Virtual Domains (Default / Max)	10 / 10
Max Number of FortiAPs	32
Max Number of FortiTokens	1,000
Max Number of Registered FortiClients	2,000
High Availability Configurations	Active/Active, Active/Passive, Clustering
Unlimited User Licenses	Yes

Technical Specifications	FortiGate-100D
DIMENSIONS AND POWER	
Height	1.75 in (44 mm)
Width	17.01 in (432 mm)
Length	11.61 in (295 mm)
Weight	9.4 lb (4.3 kg)
Rack Mountable	Yes (Attachable Ears)
AC Power	100 - 240 VAC, 60 - 50 Hz
Power Consumption (AVG / Max)	52.6 / 63.1 W
Heat Dissipation	215.3 BTU/h
Redundant Power Supply	No
ENVIRONMENT AND COMPLIANCE	
Operating temperature	32 to 104 deg F (0 - 40 deg C)
Storage temperature	-13 to 158 deg F (-25 to 70 deg C)
Humidity	20% to 90% non-condensing
Compliance	FCC Part 15 Class A, C-Tick, VCCI, CE, UL/cUL, CB
Certifications	ICSA Labs: Firewall, IPSec, IPS, Antivirus, SSL VPN

All performance values are "up to" and vary depending on system configuration. Antivirus performance is measured using 44 Kbyte HTTP files. IPS performance is measured using 1 Mbyte HTTP files.

FortiGate-100D Front



FortiGate-100D Back



Ordering Information

Product	SKU
FortiGate-100D	FG-100D

FortiGuard® Security Subscription Services deliver dynamic, automated updates for Fortinet products. The Fortinet Global Security Research Team creates these updates to ensure up-to-date protection against sophisticated threats. Subscriptions include antivirus, intrusion prevention, web filtering, antispam, vulnerability and compliance management, application control, and database security services.

FortiCare™ Support Services provide global support for all Fortinet products and services. FortiCare support enables your Fortinet products to perform optimally. Support plans start with 8x5 Enhanced Support with "return and replace" hardware replacement or 24x7 Comprehensive Support with advanced replacement. Options include Premium Support, Premium RMA, and Professional Services. All hardware products include a 1-year limited hardware warranty and 90-day limited software warranty.

GLOBAL HEADQUARTERS

Fortinet Incorporated
1090 Kifer Road, Sunnyvale, CA 94086 USA
Tel +1.408.235.7700
Fax +1.408.235.7737
www.fortinet.com/sales

EMEA SALES OFFICE – FRANCE

Fortinet Incorporated
120 rue Albert Caquot
06560, Sophia Antipolis, France
Tel +33.4.8987.0510
Fax +33.4.8987.0501

APAC SALES OFFICE – SINGAPORE

Fortinet Incorporated
300 Beach Road 20-01, The Concourse
Singapore 199555
Tel: +65-6513-3734
Fax: +65-6295-0015



FORTINET®

Copyright© 2013 Fortinet, Inc. All rights reserved. Fortinet®, FortiGate®, and FortiGuard® are registered trademarks of Fortinet, Inc., and other Fortinet names herein may also be trademarks of Fortinet. All other product or company names may be trademarks of their respective owners. Performance metrics contained herein were attained in internal lab tests under ideal conditions, and performance may vary. Network variables, different network environments and other conditions may affect performance results. Nothing herein represents any binding commitment by Fortinet, and Fortinet disclaims all warranties, whether express or implied, except to the extent Fortinet enters a binding written contract, signed by Fortinet's General Counsel, with a purchaser that expressly warrants that the identified product will perform according to the performance metrics herein. For absolute clarity, any such warranty will be limited to performance in the same ideal conditions as in Fortinet's internal lab tests. Fortinet disclaims in full any guarantees. Fortinet reserves the right to change, modify, transfer, or otherwise revise this publication without notice, and the most current version of the publication shall be applicable.

FG-100D-DAT-R4-201301